

S24 8	1	(query near2 image) and (((create\$ with query) with attribute) same user)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 15:08
S24 9	45	(query near2 image) and ((create\$ with query) same user)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 15:17
S25 0	2	"5579471".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 15:18
S25 1	114	QBIC and (image near2 query)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 15:18
S25 2	13	QBIC and (user same (image near2 query) same attribute)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 15:19
S25 3	1558	(structured near2 object\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:02
S25 4	127	(structured near2 object\$1) and (database or file) and (convert\$ with format)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:02
S25 5	25	S254 and (modification same attributes)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:07
S25 6	10	(write or transfer) with (modification with attributes)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:08
S25 7	26	(write or transfer) with (update with attributes)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:11
S25 8	0	(convert same xml same object) same (update with attributes)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:11
S25 9	0	(transform same xml same object) same (update with attributes)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:11

S26 0	0	(transform same document same object) same (update with attributes)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:11
S26 1	1	(transform same document same object) and (update with attributes)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:14
S26 2	57	(add\$3 with properties) with file	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:14
S26 3	0	(add\$3 with properties) with file same transform\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:14
S26 4	3	(add\$3 with properties) with file same convert\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:18
S26 5	0	(update with properties) with file same convert\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:18
S26 6	27	(add\$3 with attribute) with file same convert\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:19
S26 7	16	(add\$3 with attributes) with file same convert\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:24
S26 8	13	((add\$3 with attributes) with file) and ((convert\$ or transform\$3) same object same file)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:41
S26 9	104	((add\$3 with attributes)) and ((convert\$ or transform\$3) same object same file)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 11:32
S27 0	0	((add\$3 with attributes)) and ((convert\$ or transform\$3) same object same file same attributes)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:41
S27 1	0	((add\$3 with attributes)) and ((convert\$ or transform\$3) same object same file same attributes)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:41

S27 2	0	((add\$3 with attributes)) and ((convert\$ or transform\$3) same object same attributes)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 10:41
S27 3	2	"6868423".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 12:06
S27 4	0	"6385606".pn. and update	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 12:06
S27 5	0	"6385606".pn. and modify	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 12:06
S27 6	1	"6385606".pn. and add	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 12:07
S27 7	1	"6385606".pn. and add\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 12:22
S27 8	1	"6868423".pn. and API	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 12:36
S27 9	1	"6868423".pn. and object	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 12:49
S28 0	1	"6868423".pn. and (stor\$3 with tree)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 13:09
S28 1	0	"6868423".pn. and byte	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 13:10
S28 2	0	"6868423".pn. and bytestream	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 13:22
S28 3	4	(bytestream near2 file)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/04 13:23



converting file to structured object and convert

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

The following words are very common and were not included in your search: **to of a**
to. [\[details\]](#)

The "AND" operator is unnecessary -- we include all search terms by default. [\[details\]](#)

Scholar Results 1 - 10 of about 159 for **converting file to structured object and converting properties of a**

Did you mean: **converting file to structured object and converting properties of a file to structured object**

A high performance multi-structured file system design

K Muller, J Pasquale - ACM SIGOPS Operating Systems Review, 1991 - portal.acm.org

... Table 1 Caching is a major influence in **converting** read ... We looked for **properties** in request patterns of sys-tem calls ... Figure 3. Multi-Structured File System ...

Cited by 26 - [Web Search](#) - [cse.ucsd.edu](#) - [www-cse.ucsd.edu](#) - [cs.ucsd.edu](#) - [all 6 versions](#) »

Constructing and Maintaining Scientific Database Views in the Framework of the Object-Protocol Model

IMA Chen, A Kosky, VM Markowitz, E Szeto - SSDBM, 1997 - ieeeexplore.ieee.org

... Each config map has **properties** such ... superclass, 0,, is defined as the superclass of **object** classes 01 ... constructed on top of the Same database or file, each with ...

Cited by 15 - [Web Search](#) - [doi.ieeeecomputersociety.org](#) - [doi.ieeeecs.org](#) - [anthonykosky.com](#) - [all 7 versions](#) »

The Alpine file system

MR Brown, KN Kolling, EA Taft - ACM Transactions on Computer Systems, 1985 - portal.acm.org

... the database system is especially important if the database system is itself an **object** of research. ... The log-based file system can be **structured** so that ...

Cited by 33 - [Web Search](#) - [portal.acm.org](#) - [csa.com](#) - [Library Search](#)

Towards a Theory of Collaborative Multimedia

KS Candan, VS Subrahmanian, PV Rangan - The 1996 International Conference on Multimedia Computing ..., 1996 - doi.ieeeecomputersociety.org

... be some $l_c, i < l_e < n$ such that $ZC(ek)$ achieves the goal of **converting** the _tiff file to a .gif file. ... A formal basis for **structured** multimedia collaborations ...

Cited by 18 - [Web Search](#) - [doi.ieeeecs.org](#) - [cs.umd.edu](#) - [aria.asu.edu](#) - [all 6 versions](#) »

An application of a context-aware file system

CK Hess, RH Campbell - Personal and Ubiquitous Computing, 2003 - portal.acm.org

... 2.3 **Converting** data ... the type of data that an application requests, the file server will ... that represent data sources as a collection of **structured** data objects ...

Cited by 6 - [Web Search](#) - [springerlink.com](#) - [portal.acm.org](#)

The Vesta repository: a file system extension for software development

SY Chiu, R Levin - 1993 - gatekeeper.dec.com

... 6.2 **Object-oriented** databases : : : : 25 ... File system directories are a familiar ... scheme permits **tree-structured** names, which ...

Cited by 12 - [View as HTML](#) - [Web Search](#) - [digital.com](#) - [hpl.hp.com](#) - [gatekeeper.research.compaq.com](#) - [all 8 versions](#) »

An Object Query Language for Multimedia Federations

D Becarevic - compapp.dcu.ie

... its interface is limited only to file read and ... independent of this, can be **structured** differently even ... these are common **properties** of **object-** oriented models ...

[View as HTML](#) - [Web Search](#)

(PS) An extensible architecture for distributed **object** system interoperability

RB Moore - 1998 - choices.cs.uiuc.edu

... components include **object** services such as a naming service and trader service (to allow clients to find objects based on either names or **properties**), and com- ...

[Cited by 2](#) - [View as HTML](#) - [Web Search](#) - choices.cs.uiuc.edu

Category specificity in normal episodic learning: Applications to **object** recognition and category- ...

CM Bukach, D Bub, MEJ Masson, DS Lindsay - Cognitive Psychology, 2004 - uvic.ca

... of CSA view semantic knowledge as being **structured** in ways ... 1. **Object** identification performance of CSA patients demonstrating selective deficits for biological ...

[Cited by 2](#) - [View as HTML](#) - [Web Search](#)

Visualisation of Meta **Object** Facility Models with Human Usable Graphical Notation

DM Lewis - innovexpo.itee.uq.edu.au

... Whilst it is possible to create **structured** textual descriptions ... the useability of the Meta **Object** Facility, its ... by producing an XML based SVG definition file. ...

[View as HTML](#) - [Web Search](#)

Did you mean to search for: converting file to structured object and converting properties of a file to **structured** object

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

converting file to structured object and converting properties of a file to **structured** object **Search**

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2005 Google

S11 1	1872	Reilly.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 15:31
S11 2	0	Reilly.in. and deselected	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 15:31
S11 3	2	"5740549".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 15:42
S11 4	5962	((include or exclude) with attribute	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 15:43
S11 5	0	((include or exclude) with attribute) same select4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 15:43
S11 6	133	((include or exclude) with attribute) and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 15:45
S11 7	3	((include or exclude) with attribute) and "725"/\$.ccls.) and (check near box\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 15:49
S11 8	6769	including with attribute	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 15:50
S11 9	141	(including with attribute) and (exclud\$3 with attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 15:53
S12 0	64	(including with attribute) and (exclud\$3 with attribute)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:21

S12 1	0	"5740549".pn. and sort	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:22
S12 2	526	filter with attribute	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:22
S12 3	14	(filter with attribute) and (include same exclude)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:23
S12 4	6	(filter with attribute) and (include same exclude) and sort	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:26
S12 5	0	filter with movie	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:26
S12 6	133	filter with movie	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:26
S12 7	2	(filter with movie) and (include and exclude)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:27
S12 8	25	(include with actor) same program	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:27
S12 9	0	(exclude with actor) same program	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:27
S13 0	0	(exclude\$ with actor) same program	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:28
S13 1	1	(filter with actor) same program	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 16:58
S13 2	2	"5740549".pn. and update	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 17:24

S13 3	2	"5740549".pn. and database	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/29 17:24
S13 4	42	cam-Y near2 truong	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 15:56
S13 5	814	(topics same (word or phrase))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 15:57
S13 6	175	((topics same (word or phrase))) and (document with topic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 15:57
S13 7	0	"L13" and ((number near3 word) with topic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 15:58
S13 8	18	((((topics same (word or phrase))) and (document with topic)) and ((number near3 word) with topic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 17:03
S13 9	48	Liddy.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 16:07
S14 0	2534	correlation near2 matrix	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 16:07
S14 1	1	(correlation near2 matrix) same (topics)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 16:08
S14 2	4	(topics same co-citation)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 16:09

S14 3	2	(sort\$ with topic) same (number with document)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 16:26
S14 4	1793	(classificat\$ or category) with documents	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 16:28
S14 5	84	((classificat\$ or category) with documents) same topics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 16:28
S14 6	1378	((((classificat\$ or category) with documents) same topics) (topic same (words or phrases)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 16:28
S14 7	42	((((classificat\$ or category) with documents) same topics) and(topic same (words or phrases)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/02 10:28
S14 8	4	(document same (date near2 axis))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 16:41
S14 9	8	(patent same (date near2 axis))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 16:51
S15 0	2	"5991751".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 16:51
S15 1	0	"5991751".pn. and co-citation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 16:52
S15 2	0	"5991751".pn. and co-word	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 16:52

S15 3	0	"5991751".pn. and co-occu\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 16:52
S15 4	197	Wico	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 17:03
S15 5	189	Wico	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/30 17:03
S15 6	1	"6675261".pn. and node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 17:47
S15 7	1	10/073131	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 17:47
S15 8	1	10/073131 and process	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 18:20
S15 9	17726	707/3 or 707/100 or 707/10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 18:24
S16 0	354	S159 and ((file near2 system) same node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 18:25
S16 1	84	S160 and URL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 18:25
S16 2	10	S161 and (process near2 node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 18:36

S16 3	0	"6185601".pn. and geographical\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 18:37
S16 4	1	"6185601".pn. and graphical\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 18:38
S16 5	1	"6185601".pn. and physical\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 18:46
S16 6	52	geographical\$ with disparate with (node\$1 or client\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 18:49
S16 7	0	S166 and 707/200	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 18:48
S16 8	1	S166 and 707/204	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 18:48
S16 9	0	S166 and 707/205	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 18:48
S17 0	8	S166 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 18:48
S17 1	27482	communication with protocols	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 18:48
S17 2	65	(geographical\$ with disparate) and S171	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/19 18:49

S17 3	2	"5765142".pn. or WO97/15023	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 15:24
S17 4	0	WO97/15023	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 15:24
S17 5	0	WO97/15023	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 15:24
S17 6	2	WO: near2 97/15023	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 16:04
S17 7	73488	(lower near2 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 16:04
S17 8	637	words with (lower near2 frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 16:07
S17 9	9	S178 same weight	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 16:05
S18 0	13	(weight or score) same (word\$1 with (lower near2 frequency))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 16:08
S18 1	1	707/5 and ((weight or score) same (lower near2 frequency))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 16:09
S18 2	2	707/5 and ((weight or score) same (less near2 frequency))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 16:11

S18 3	20	707/5 and ((weight or score) same (low near2 frequency))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/06 16:12
S18 4	1	09/929147	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:39
S18 5	1083	707/206	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:39
S18 6	3	S185 and (adjacent near2 bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:41
S18 7	0	S185 and (adjacent near2 bit\$1) and counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:41
S18 8	2	S185 and (adjacent near2 bit\$1) and count	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:43
S18 9	2	"5966703".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 12:34
S19 0	141	(counter same (adjacent near2 bits))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:45
S19 1	41	(counter with (adjacent near2 bits))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:45
S19 2	4	(counter with (adjacent near2 bits)) and (bit with free)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:47

S19 3	670	free near2 pages	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:47
S19 4	163	S193 and counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:48
S19 5	6	S193 and counter and (adjacent near2 bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:05
S19 6	751	(number with (adjacent near2 bits))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:51
S19 7	4	(number with (adjacent near2 bits)) and S193	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:51
S19 8	7	(adjacent near2 bits) and S193	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:53
S19 9	42	directory near2 bitmap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:54
S20 0	1	S199 and (adjacent with bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:54
S20 1	159	directory with bitmap	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:54
S20 2	2	S201 and (adjacent with bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:04

S20 3	305	bitmap and (adjacent near2 bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:56
S20 4	4	bitmap and ((adjacent near2 bits) same count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 10:57
S20 5	881	page and 16-bits	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:02
S20 6	13	page and 16-bits and S193	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:03
S20 7	7	S193 and (adjacent near2 bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:04
S20 8	903	page and (adjacent near2 bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:05
S20 9	582	page and (adjacent near2 bits)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:06
S21 0	17	S209 and "707"/\$.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:10
S21 1	4	"5966703".pn. or "6023744".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:31
S21 2	1	(directory same (adjacent near2 bits))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:32
S21 3	37	(counter with (adjacent near2 bits))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:39

S21 4	3589	((adjacent near2 bits))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:39
S21 5	582	((adjacent near2 bits)) and page	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:39
S21 6	38	((adjacent near2 bits)) same page	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:39
S21 7	38	S216 and (adjacent near2 bits)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:43
S21 8	4	(free near2 page) and (adjacent near2 bits)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:46
S21 9	1	(free near2 page) and (adjacent near2 bits) and word	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:46
S22 0	109	(free or unused) and ((adjacent near2 bits) same word)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:51
S22 1	30	FAT and (adjacent with bits)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:55
S22 2	70	(allocation near2 bitmap)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:55
S22 3	3	S222 and (adjacent with bits)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:56
S22 4	639	allocation and (adjacent with bits)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:56
S22 5	315	allocation and (adjacent with bits) and (word with bit)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:58

S22 6	0	S225 and ("707"/\$.ccls or "711"/\$. ccls)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:57
S22 7	8	allocation and (adjacent with bits) and (word with bit) and "707"/\$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 12:00
S22 8	61	(adjacent with bits) and "707"/\$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 12:05
S22 9	33	(adjacent with bytes) and "707"/\$. ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 12:08
S23 0	26	(count\$3 with (adjacent with bytes))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 12:11
S23 1	431	(count\$3 with (adjacent with bit))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 12:11
S23 2	0	(count\$3 with (adjacent with bitg))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 12:11
S23 3	266	(count\$3 with (adjacent with bits))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 12:11
S23 4	103	(number near2 adjacent near2 bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 12:38
S23 5	256	(count\$3 same (adjacent near2 bits))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 12:51
S23 6	2	(count\$3 same (adjacent near2 bits)) and ("6167143".pn. or "4208652".pn.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 12:52

S23 7	2	"5715455".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:11
S23 8	0	"5715455".pn. and word	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:13
S23 9	2	"5732402".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:27
S24 0	1	707/205 and (count same (contiguous near2 bit))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:28
S24 1	27	707/205 and (count with bit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:39
S24 2	13	707/205 and (file near2 allocation) and (word with bits)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:40
S24 3	13	707/205 and (file near2 allocation) and (word with bits)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:44
S24 4	2	bitmap and (file near2 allocation) and (word with bits)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 15:06
S24 5	1341	(query near2 object)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 15:06
S24 6	409	(query near2 object) and (create\$ with query)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 15:06
S24 7	2	(query near2 object) and (((create\$ with query) with attribute) same user)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 15:07